


Lounge - 12/17/2021 (B-I62L5y)

Unwanted heavy metals

Element	Analysis	Setpoint	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	■	525
Se	0.00 µg/l	0 µg/l	■	525
Cd	0.00 µg/l	0 µg/l	■	525
Sn	0.00 µg/l	0 µg/l	■	525
Sb	0.00 µg/l	0 µg/l	■	525
As	0.00 µg/l	0 µg/l	■	525
Al	4.00 µg/l	0 - 60 µg/l	■	525
Pb	0.00 µg/l	0 µg/l	■	525
Ti	0.00 µg/l	0 µg/l	■	525
Cu	11.00 µg/l	0 µg/l	■	525
La	0.00 µg/l	0 µg/l	■	525
Sc	0.00 µg/l	0 µg/l	■	525
W	0.00 µg/l	0 µg/l	■	525







Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Liter
Na	10182.00 mg/l	10000 - 11300 mg/l	■	525
Ca	421.00 mg/l	415 - 520 mg/l	■	525
Mg	1240.00 mg/l	1320 - 1500 mg/l	■	525
K	382.00 mg/l	380 - 480 mg/l	■	525
Br	62.00 mg/l	62 mg/l	■	525
B	3.00 mg/l	4.5 mg/l	■	525
Sr	6.00 mg/l	8 - 12 mg/l	■	525
S	848.00 mg/l	900 mg/l	■	525





Lounge - 12/17/2021 (B-I62L5y)

Li-Group



Element	Analysis	Setpoint	Warning lamp	Liter
Li	195.00 µg/l	200 µg/l		525
Ni	3.00 µg/l	5 µg/l		525
Mo	6.00 µg/l	12 µg/l		525





I-Group

Element	Analysis	Setpoint	Warning lamp	Liter
V	0.00 µg/l	0 - 3 µg/l		525
Zn	19.00 µg/l	0 - 5 µg/l		525
Mn	0.00 µg/l	0 - 3 µg/l		525
I	126.00 µg/l	30 - 90 µg/l		525


Fe-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l		525
Co	1.00 µg/l	0 µg/l		525
Fe	0.00 µg/l	0 µg/l		525

Ba-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Ba	16.00 µg/l	0 - 10 µg/l		525
Be	0.00 µg/l	0 µg/l		525

Si-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Si	156.00 µg/l	0 - 200 µg/l		525

Lounge - 12/17/2021 (B-I62L5y)

Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Liter
P	34.00 µg/l	6 - 23 µg/l	■	525
PO4	0.104 mg/l	0.018 - 0.07 mg/l	■	525

