



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		10
Se	204.00 µg/l	0 µg/l	203.90		10
Cd	7.87 µg/l	0 µg/l	7.77		10
Sn	0.00 µg/l	0 µg/l	-0.10		10
Sb	0.00 µg/l	0 µg/l	-0.10		10
As	6.89 µg/l	0 µg/l	6.79		10
Al	0.98 µg/l	2.00 µg/l	-1.02		10
Pb	0.00 µg/l	0 µg/l	-0.10		10
Ti	0.00 µg/l	0 µg/l	-0.10		10
Cu	0.00 µg/l	0 µg/l	-0.10		10
La	0.00 µg/l	0 µg/l	-0.10		10
Sc	0.00 µg/l	0 µg/l	-0.10		10
W	0.00 µg/l	0 µg/l	-0.10		10




## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10388.00 mg/l	10700.00 mg/l	-312.00		10
Ca	370.00 mg/l	440.00 mg/l	-70.00		10
Mg	1338.00 mg/l	1370.00 mg/l	-32.00		10
K	352.00 mg/l	400.00 mg/l	-48.00		10
Br	10.00 mg/l	62.00 mg/l	-52.00		10
B	4.54 mg/l	4.50 mg/l	0.04		10
Sr	11.00 mg/l	8.00 mg/l	3.00		10
S	835.00 mg/l	900.00 mg/l	-65.00		10





# Neo (11305B)






## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	370.00 µg/l	200.00 µg/l	170.00		10
Ni	1.88 µg/l	5.00 µg/l	-3.12		10
Mo	0.00 µg/l	12.00 µg/l	-12.00		10



## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		10
Zn	0.00 µg/l	4.00 µg/l	-4.00		10
Mn	9.20 µg/l	2.00 µg/l	7.20		10
I	11.00 µg/l	60.00 µg/l	-49.00		10


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		10
Co	1.97 µg/l	0 µg/l	1.87		10
Fe	0.00 µg/l	0 µg/l	-0.10		10

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	9.15 µg/l	10.00 µg/l	-0.85		10
Be	0.00 µg/l	0 µg/l	-0.10		10



## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	0.00 µg/l	100.00 µg/l	-100.00		10

## Neo (11305B)



### Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	1.99 µg/l	6.00 µg/l	-4.01		10
PO4	0.006 mg/l	0.018 mg/l	-0.012		10